

Package: SQLove (via r-universe)

September 8, 2024

Title Execute 'SQL' Scripts in 'R' Containing Multiple Queries

Version 0.0.4

Description The nature of working with structured query language ('SQL') scripts efficiently often requires the creation of temporary tables and there are few clean and simple 'R' 'SQL' execution approaches that allow you to complete this kind of work with the 'R' environment. This package seeks to give 'SQL' implementations in 'R' a little love by deploying functions that allow you to deploy complex 'SQL' scripts within a typical 'R' workflow.

License MIT + file LICENSE

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

Imports DBI, readr, RJDDBC

Suggests knitr, rmarkdown

VignetteBuilder knitr

Repository <https://samkerns.r-universe.dev>

RemoteUrl <https://github.com/samkerns/sqllove>

RemoteRef HEAD

RemoteSha 78c0c3e84c6a78b546770de9fa596a5e11640211

Contents

dbGetMultiQuery	2
dbSendMultiUpdate	2
Index	4

dbGetMultiQuery	<i>Query a database with multiple query actions and one, final, select statement.</i>
-----------------	---

Description

Requires a DBI workflow that creates a connection with a relational database per DBI: <https://dbi.r-dbi.org/>. This function is an extension of the DBI::dbGetQuery and RJDBC::dbSendUpdate functions.

Usage

```
dbGetMultiQuery(connection, sql_file_path, pattern = NULL, replacement = NULL)
```

Arguments

connection	A database connection object
sql_file_path	Character vector pointing to SQL script
pattern	A character object you would like to substitute in the SQL script - this is not required and defaults to NULL. Calls gsub under the hood, so use regex for pattern identification
replacement	A character vector replacing the pattern specified - this is not required and defaults to NULL. Calls gsub under the hood, so use regex for pattern identification

Value

A data object

dbSendMultiUpdate	<i>Run multiple SQL query actions within the DB environment.</i>
-------------------	--

Description

Requires a DBI workflow that creates a connection with a relational database per DBI: <https://dbi.r-dbi.org/>. This function is an extension of the RJDBC::dbSendUpdate function.

Usage

```
dbSendMultiUpdate(connection, sql_file_path)
```

Arguments

connection	A database connection object
sql_file_path	Character vector pointing to SQL script

dbSendMultiUpdate

3

Value

No object returned - for production automation

Index

dbGetMultiQuery, [2](#)
dbSendMultiUpdate, [2](#)